

Application Status: Submitted to RO  
Application Sub Status: Payment Received

\*\*\*Note :- All the Dates in the Report are in mm/dd/yyyy format

Report Generated on : 17 January 2012



## All India Council for Technical Education

(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001

PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 [www.aicte-India.org](http://www.aicte-India.org)

### DEFICIENCY REPORT - CURRENT INTAKE

Regional office	Northern
-----------------	----------

Application Id	1-772991502
Name of the Institute	GOVERNMENT POLYTECHNIC DEHRADUN
Address	SHIMLA BYE PASS ROAD , PITHUWALA DEHRADUN 248001
City/Village	DEHRADUN
District	DEHRADUN
State	Uttarakhand
Pin	248001

	Name	Qualification	Appointment type	PhD
Principal	DESH RAJ	B.TECH, M.E.,	Regular	

Total Students (CI) (UG+PG+DIPLOMA)	920
----------------------------------------	-----

#### **Institute Level Faculty**

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

	Actual number	Required number as per CI	Deficiency
Total Faculty (UG+PG+DIPLOMA)	26	46	Yes

**Program Level Faculty**

Program	Course	Level	Course Duration	Full Time / Part Time	Approved Intake (11-12)	Approved Intake (10-11)	Approved Intake (09-10)	Approved Intake (08-09)	Approved Intake (07-08)	Faculty
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	DIPL OMA	3	FULL TIME	40	40	40	40	40	5
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING (AUTO)	DIPL OMA	3	FULL TIME	40	40	40	40		2
ENGINEERING AND TECHNOLOGY	ELECTRONICS ENGINEERING	DIPL OMA	3	FULL TIME	40	40	40	40	40	3
ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE & ENGINEERING	DIPL OMA	3	FULL TIME	40	40	40	40	40	4
ENGINEERING AND TECHNOLOGY	INFORMATION TECHNOLOGY	DIPL OMA	3	FULL TIME	40	40	40	40	40	2
ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	DIPL OMA	3	FULL TIME	40	40	40	40	40	4
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	DIPL OMA	3	FULL TIME	20	20	20	20		5
ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	DIPL OMA	3	FULL TIME	20	20	20	20		4
PHARMACY	PHARMACY	DIPL OMA	2	FULL TIME	40	40	40	40	40	8

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

***Administrative Area***

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Principal / Director Office	125	30	No
Central Store	70	30	No
Maintenance	0	10	Yes
Security	0	10	Yes
Housekeeping	0	10	Yes
Exam Control Office	60	30	No
Placement Office	0	30	Yes
Main / Administrative Office	125	300	Yes

***Amenities Area***

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Boys Common Room	0	100	Yes
Girls Common Room	0	100	Yes
Cafeteria	0	150	Yes
Stationery Store	0	10	Yes
First aid cum Sick Room	0	10	Yes

***Computational Facilities***

Type	Available	Required	Deficiency
Internet Bandwidth	2	2	No
Printers	12	7	No
Legal Application S/W	10	20	Yes
Legal System S/W	2	3	Yes
PCs to Student ratio	70	134	Yes

***Library Facilities***

Type	Available	Required	Deficiency
Volumes	10145	28250	Yes
Titles	2472	4650	Yes
National Journals	9	6	No

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

Type	Available	Required	Deficiency
InterNational Journals	0	0	No
Reading Room Capacity	90	100	Yes
MultiMediaPC	6	10	Yes

***Instructional Area-Common Facilities***

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Computer Center	0	100	Yes
Library & Reading Room	412	300	No

***Land Area Details***

Type	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Other	12.85	5	No

***ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme***

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
ClassRooms	Diploma/Post Diploma	780	1188	Yes
Tutorial Room	Diploma/Post Diploma	0	165	XX
Laboratories	Diploma/Post Diploma	1338	2376	Yes
Workshops	Diploma/Post Diploma	712	200	No
Drawing Halls	Diploma/Post Diploma	240	132	No
Seminar Hall	Diploma/Post Diploma	0	132	Yes

***PHARMACY-Diploma / Existing Programme***

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Classroom	Diploma/Post Diploma	60	132	Yes
Tutorial Rooms	Diploma/Post Diploma	0	33	XX
Laboratory	Diploma/Post Diploma	540	675	Yes
Animal House	Diploma/Post Diploma	0	75	XX
Seminar Hall	Diploma/Post Diploma	0	132	XX

***eJournal***

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

Type	Final Deficiency
------	------------------

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

## Other Facilities

Type	Availability	Deficiency
All Weather Approach	Y	N
Barrier free Environment	Y	N
Electric Supply	Y	N
General Insurance	Y	N
Institution Web Site	Y	N
Language Laboratory	Y	N
Medical & Counseling	Y	N
Notice Boards	Y	N
Potable Water Supply	Y	N
Safety Provisions	Y	N
Sewage Disposal System	Y	N
Telephone & FAX	Y	N
Vehicle Parking	Y	N
First Aid	Y	N

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

## DEFICIENCY REPORT - APPLIED INTAKE

### Computational Facilities

Type	Available	Required	Deficiency
Internet Bandwidth-Applied Intake	2	2	No
Printers-Applied Intake	12	7	No
Legal Application S/W-Applied Intake	10	20	Yes
Legal System S/W-Applied Intake	2	3	Yes
PCs to Student ratio-Applied Intake	70	134	Yes

### Library Facilities

Type	Available	Required	Deficiency
Volumes	10145	28250	Yes
Titles	2472	4650	Yes
National Journals	9	6	No
InterNational Journals	0	0	No
Reading Room Capacity	90	100	Yes
MultiMediaPC	6	10	Yes

### **ENGINEERING AND TECHNOLOGY-Diploma / Existing Programme**

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
ClassRooms	Diploma/Post Diploma	780	1188	Yes
Tutorial Room	Diploma/Post Diploma	0	165	XX
Laboratories	Diploma/Post Diploma	1338	2376	Yes
Workshops	Diploma/Post Diploma	712	200	No
Drawing Halls	Diploma/Post Diploma	240	132	No
Seminar Hall	Diploma/Post Diploma	0	132	Yes

### **PHARMACY-Diploma / Existing Programme**

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Classroom	Diploma/Post Diploma	60	132	Yes
Tutorial Rooms	Diploma/Post Diploma	0	33	XX
Laboratory	Diploma/Post Diploma	540	675	Yes

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

Type	Level	Actual Room Area/Land Area	Expected Room Area/Land Area	Deficiency
Animal House	Diploma/Post Diploma	0	75	XX
Seminar Hall	Diploma/Post Diploma	0	132	XX

XX- No Rooms Available

DNA- Data Not Available / Insufficient Data

Blank Field-Data Not Entered

\* Laboratories required and Actual Number includes Total Number of Laboratories, Research Laboratories, and Additional WS/Labs for UG and PG courses, as applicable

^ Actual Number of Tutorial Rooms for Under Graduate includes the Number of Tutorial Rooms Available for PG, if applicable

\*\* Actual Number of Guest Rooms for Under Graduate includes the Actual Number of Guest Rooms Available for PG, if applicable

\*\*\* Actual Number of Kitchen for Under Graduate includes the Actual Number of Kitchen Available for PG, if applicable

### Information regarding intake applied

Program	Course	Level	Shift	Current Intake	Intake Applied	Application type	Accreditation status	NRI	PIO	Foreign Collaboration
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING (AUTO)	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	ELECTRONICS ENGINEERING	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	COMPUTER SCIENCE & ENGINEERING	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	INFORMATION TECHNOLOGY	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	MECHANICAL ENGINEERING	DIPLOMA	2nd Shift	20	20	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N
ENGINEERING AND TECHNOLOGY	CIVIL ENGINEERING	DIPLOMA	2nd Shift	20	20	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	

**Application Status:** Submitted to RO  
**Application Sub Status:** Payment Received

\*\*\*Note :- All the Dates in the Report are in mm/dd/yyyy format

Report Generated on : 17 January 2012

Program	Course	Level	Shift	Current Intake	Intake Applied	Application type	Accreditation status	NRI	PIO	Foreign Collaboration
PHARMACY	PHARMACY	DIPLOMA	1st Shift	40	40	EoA Only	ELIGIBLE-NOT APPLIED	Not interested	Not interested	N

Expert, Scrutiny Committee (Academic)	Expert, Scrutiny Committee (Advocate) Reg No:	Expert, Scrutiny Committee (Architect) Reg No
1-772991502	Experts are requested to refer application for more information. Do not leave any cell vacant. Write tick at appropriate cell to denote your findings. Do not use white fluid for correction. Strike off and sign in case of any correction.	